

ADVERSE SURVEY ACTIONS – HEALTH FACILITIES  
SEPTEMBER 2003  
SOUTHERN REGION

Name	Owner	Administrator	Action Taken	Rationale for Action	Next Step
Beehive Home of Salem	Paul Grimes		<b>Conditional License issued on 5/19/2003</b>	Failure to correct at Follow-up survey: 7 repeat Class II deficiencies	<b>Bureau Conference Scheduled June 3, 2003</b> Conditional License issued with following conditions: <ol style="list-style-type: none"> <li>1. CMP of \$350 (\$50 each) for Class II deficiencies to be paid by September 30, 2003</li> <li>2. Correction of all outstanding Class II deficiencies on or before June 30, 2003</li> <li>3. Increase monitoring by licensing staff</li> <li>4. CMP of \$100 will be assessed per Class I violation cited during conditional period</li> <li>5. CMP of \$50 will be assessed per Class II violation cited during conditional period</li> </ol> <b>Bureau Conference June 3, 2003-Settlement agreement CMP set aside with conditions that it be used to make improvements at facility.</b>
Beehive Homes of American Fork South	Holly Berube	Dennis Toland	<b>Conditional License September 23, 2003</b>	7 Repeat Deficiencies	<b>Conditional License</b> <ol style="list-style-type: none"> <li>1. CMP of \$350</li> <li>2. Acceptable POC before 10/02/2003</li> <li>3. Increased monitoring</li> <li>4. CMP of \$100 per class I cited during conditional period</li> <li>5. CMP of \$50 per class II deficiency cited during conditional period</li> </ol>
Canterbury	Jackson Brothers		Intent to revoke <b>Bureau Conference on September 11, 2003; Plan of correction accepted, Conditional license being</b>	Based on complaint investigation on August 5, 2003 and annual survey August 13, 2003 which substantiated 3 Class I and 24 Class II deficiencies.	Closure date of September 30, 2003 and no POC requested. Bureau Conference scheduled for September 10, 2003  <b>Serve: Notice of Bureau Conference</b>

Name	Owner	Administrator	Action Taken	Rationale for Action	Next Step
			<b>recommended</b>	<b>Bureau Conference: Two Class I deficiencies and three Class II deficiencies rescinded. Plan of corrections received on 22 Class II and one Class I deficiencies.</b>	<b>Decision-Conditional License Letter dated September 16, 2003</b>